


STANDARD PACKING OF COATED TYPE RESISTORS

Dimension (mm)



Part No.	Style	Taping Dimension			Tape On Reel Packing (T/R)				
		O ± 1	P ± 0.3	t ± 1.0	Across Flange (A)	Quantity / Reel (pcs)	Quantity / Carton (pcs)	Carton Used***	Gross Wt. ±2Kgs.
CFR0W8 CFR0S4 MF0W8 MF0S4 MFF04	CFR-12 CFR-25-S MF-12 MF-25-S MF-40-SS	52	5	4	73 ± 2	5,000	50,000	A20	10.34
ZOC0W8 ZOT0W8	ZO-12	52	5	4	73 ± 2	5,000	50,000	A20	12.50
CFR0W4 CFRFU2 MF0W4 MFFU2 MF006 FRN0W4 MOR0W4 MOR0S2 MGRFW4	CFR-25 CFR-50-SS MF-25 MF-50-SS MF-60-S FRN-25 MOR-25 MOR-50-S MGR-25	52	5	4	73 ± 2	5,000	50,000	A20	15.00
ZOC0W4 ZOT0W4	ZO-25	52	5	4	73 ± 2	5,000	50,000	A20	18.00
CFR0S2 MF0S2	CFR-50-S MF-50-S	52	5	4	73 ± 2	5,000	50,000	A21	18.00
CFR0W2 MF0W2 FRN0W2 MOR0W2 MGR0W2	CFR-50 MF-50 FRN-50 MOR-50 MGR-50	52	5	4	73 ± 2	2,500	25,000	A20	13.00
MOR01S FRN01W KNP0W2 KNP01S	MOR-100-S FRN-100 KNP-50 KNP-100-S	52	5	4	73 ± 2	2,500	25,000	A20	16.50

*** SIZE OF CARTON USED:

A21 – 645 x 450 x 335

A20 – 605 x 440 x 320

STANDARD PACKING OF COATED TYPE RESISTORS

Part No.	Style	Taping Dimension			Tape On Reel Packing (T/R)				
		O ± 1	P	t ± 1.0	Across Flange (A)	Quantity / Reel (pcs)	Quantity / Carton (pcs)	Carton Used***	Gross Wt. ±2Kgs.
CFR01S MF01W MOR01W MOR02S FRN02W KNP01W KNP02S MGRF1W	CFR-100-S MF-100 MOR-100 MOR-200-S FRN-200 KNP-100 KNP-200-S MGR-100	52	5 ± 0.3	4	73 ± 2	2,500	25,000	A20	22.50 20.50 21.50 21.50 21.50 21.50 21.50
						1,000	10,000		11.50
CFR01W CFR02S MF02W MOR02W MOR03S FRN03W KNP02W KNP03S MGRF2W	CFR-100 CFR-200-S MF-200 MOR-200 MOR-300-S FRN-300 KNP-200 KNP-300-S MGR-200	64	10 ± 0.5	5	81 ± 5	1,000	8,000	A20	12.00 12.00 12.00 12.50 12.50 12.50 12.50 12.50
						500	4,000		9.00
CFR02W CFR03S MF03W MOR03W MOR05U KNP03W KNP05S	CFR-200 CFR-300-S MF-300 MOR-300 MOR-500-SS KNP-300 KNP-500-S	64	10 ± 0.5	5	81 ± 5	500	4,000	A20	10.00 10.00 10.00 10.50 10.50 10.50 10.50
JUMPER WIRES					JUMPER WIRES				
ZWA0	ZW-A(0.45mm)	52	5 ± 0.3	4	73 ± 2	10,000	100,000	A20	16.50
ZWB0	ZW-B(0.54mm)	52	5 ± 0.3	4	73 ± 2	10,000	100,000	A20	19.50
ZWC0	ZW-C(0.70mm)	52	5 ± 0.3	4					
ZWD0	ZW-D(0.75mm)	52	5 ± 0.3	4					
ZWE0	ZW-E(1.0mm)	52	5 ± 0.3	4					

PT-26 DIMENSION				
Part No.	Style	Taping Dimension		
		O ^{+1.5} ₋₀	P ± 0.5	t ± 1.0
CFR0W8 CFR0S4 MF0W8 MF0S4 MFF04	CFR-12 CFR-25-S MF-12 MF-25-S MF-40-SS	26	5	5
CFR0W4 CFRFU2 MF0W4 MFFU2 MF006	CFR-25 CFR-50-SS MF-25 MF-50-SS MF-60-S	26	5	5

NOTE: Bandoliers can be reeled, dimension "A" differs per type. Reel packing for PT-26 is not available.


*****SIZE OF CARTON USED:**

A21 – 645 x 450 x 335

A20 – 605 x 440 x 320

STANDARD PACKING OF COATED TYPE RESISTORS

Dimension (mm)



Part No.	Style	Tape in Box Packing (T/B)						
		L(C) ± 5	W(A) ± 5	H(B) ± 5	Quantity / Box (pcs)	Quantity / Carton (pcs)	Carton Used***	Gross Wt. ± 2Kgs.
CFR0W8 CFR0S4 MF0W8 MF0S4 MFF04	CFR-12 CFR-25-S MF-12 MF-25-S MF-40-SS	250	75	66	5,000	100,000	A105	12.80
ZOC0W8 ZOT0W8	ZO-12	250	75	66	5,000	100,000	A105	16.00
CFR0W4 CFRFU2 MF0W4 MFFU2 MF006 MOR0W4 MOR0S2 FRN0W4	CFR-25 CFR-50-SS MF-25 MF-50-SS MF-60-S MOR-25 MOR-50-S FRN-25	250	75	96	5,000	50,000	A98	10.42
MGRFW4	MGR-25	255	75	103	4,000	40,000	A3	9.60
ZOC0W4 ZOT0W4	ZO-25	250	75	96	5,000	50,000	A29	14.00
CFR0S2 MF0S2	CFR-50-S MF-50-S	255	75	56	2,000	72,000	A3	20.50
FRN0W2	FRN-50	260	75	31	1,000	60,000	A3	17.90
CFR0W2 MF0W2	CFR-50 MF-50	255	75	43	1,000	48,000	A3	17.90
MOR0W2	MOR-50	260	85	70	1,000	36,000	A3	16.00
MGRFW2	MGR-50	260	75	56	1,000	36,000	A3	16.00
MOR01S	MOR-100-S	260	85	70	1,000	25,000	A3	15.50
FRN01W KNP0W2 KNP01S	FRN-100 KNP-50 KNP-100-S	260	85	70	1,000	25,000	A3	16.50
CFR01S MF01W	CR-100-S MF-100	255	79	73	1,000	20,000	A3	16.40
MOR01W MOR02S FRN02W KNP01W KNP02S	MOR-100 MOR-200-S FRN-200 KNP-100 KNP-200-S	262	86	80	1,000	20,000	A3	16.40
MGRF1W	MGR-100	262	92	106	1,000	15,000	A3	17.50
CFR01W CFR02S MF02W	CFR-100 CFR-200-S MF-200	260	94	87	1,000	20,000	A3	22.20

STANDARD PACKING OF COATED TYPE RESISTORS

Part No.	Style	Tape in Box Packing (T/B)						
		L(C) ± 5	W(A) ± 5	H(B) ± 5	Quantity / Box (pcs)	Quantity / Carton (pcs)	Carton Used***	Gross Wt. ± 2Kgs.
MOR02W MOR03S FRN03W KNP02W KNP03S	MOR-200 MOR-300-S FRN-300 KNP-200 KNP-300-S	262	92	108	1,000	15,000	A3	18.00
MGRF2W	MGR-200	255	85	77	500	10,000	A3	18.00
CFR02W CFR03S MF03W	CFR-200 CFR-300-S MF-300	262	96	69	500	10,000	A3	18.00
MOR03W MOR05U	MOR-300 MOR-500-SS	256	92	80	500	10,000	A3	19.00
KNP03W KNP05S	KNP-300 KNP-500-S	256	92	80	500	10,000	A3	20.00


*** SIZE OF CARTON USED: A3 – 490 x 270 x 375, A29 – 410 x 273 x 235,
A98 – 400 x 253 x 207, A105 – 390 x 270 x 272

Part No.	Style	Tape in Box Packing (T/B)						
		L(C) ± 5	W(A) ± 5	H(B) ± 5	Quantity / Box (pcs)	Quantity / Carton (pcs)	Carton Used***	Gross Wt. ± 2Kgs.
JUMPER WIRES								
ZWA0	ZW-A (0.45mm)	250	75	96	10,000	100,000	A29	12.50
ZWB0	ZW-B (0.54mm)	250	75	96	10,000	100,000	A29	16.00
ZWC0	ZW-C (0.70mm)	250	75	96	7,000	70,000	A29	20.50
ZWD0	ZW-D (0.75mm)	250	75	96	8,000	80,000	A29	23.00
ZWE0	ZW-E (1.0mm)	250	75	96	7,000	70,000	A29	32.50
PT - 26								
CFR0W8 CFR0S4 MF0W8 MF0S4 MFF04	CFR-12 CFR-25-S MF-12 MF-25-S MF-40-SS	257	50	68	5,000	225,000	A3	22.50
CFR0W4 CFRFU2 MF0W4 MFFU2 MF006	CFR-25 CFR-50-SS MF-25 MF-50-SS MF-60-S	257	50	95	5,000	135,000	A3	23.00

*** SIZE OF CARTON USED: A3 – 490 x 270 x 375, A29 – 410 x 273 x 235

STANDARD PACKING OF COATED TYPE RESISTORS

Dimension (mm)
Box of Plastic Case




Part No.	Style	Bulk in Box Packing (In Plastic Case) (B/B)						
		L(C) ± 5	W(A) ± 5	H(B) ± 5	Quantity/Plastic Case/Box (pcs)	Quantity / Carton (pcs)	Carton Used***	Gross Wt. ± 2Kgs.
MOR05S	MOR-500-S	155	95	53	100/200 (M-TYPE)	4,800	A104	18.20
MOR05W	MOR-500	36	20	8	100 / 1,000	4,000	A51	16.50
KNP05W	KNP-500							
KNP07S	KNP-700S							


*** SIZE OF CARTON USED: A51 – 400 x 370 x 195

*** F-Type & T-Type packing standard same as M-Type


Pulp case



Type – C1



Type – C3



Type – C4

Part No.	Type	Q'ty / Pulp Case (pcs)	Q'ty / Inner Box (pcs)	Quantity / Carton (pcs)	Carton Size L x W x H (±5)	Gross Wt. ±2Kgs.	Packing Type
KNS02W	KNS-200	320	1,600	3,200	720 × 370 × 310	10.00	Type – C1
KNS03W	KNS-300	256	1,280	2,560	720 × 370 × 310	6.00	Type – C1
KNS05W	KNS-500	192	960	1,920	720 × 370 × 310	11.20	Type – C1
KNS07W	KNS-700	120	600	1,200	545 × 280 × 295	8.00	Type – C3
KNS0AW	KNS-1000	140	700	700	350 × 350 × 335	6.30	Type – C4
TMOR3W	TMOR-300	500	2,500	5,000	515 x 392 x 283	15.00	Type – C1
TMOR5W	TMOR-500					18.00	


Plastic Bag



Part No.	Type	Q'ty /Plastic Bag (pcs)	Q'ty / Inner Box (pcs)	Quantity / Carton (pcs)	Carton Size L x W x H (±5)	Gross Wt. ±2Kgs.
TMOV5W	TMOV 5W	10	400	2,400	195 x 163 x 113	9.5
TMOV7W	TMOV 7W	5	300	1,800		9.5

STANDARD PACKING OF COATED TYPE RESISTORS

Dimension (mm)



Part No.	Style	Bulk in Box Packing (In Plastic Bag) (B/B)						
		L(C) ± 5	W(A) ± 5	H(B) ± 5	Quantity/Bag/ Box (pcs)	Quantity / Carton (pcs)	Carton Used***	Gross Wt. ±2Kgs.
CFR0W8 CFR0S4 MF0W8 MF0S4 MFF04	CFR-12 CFR-25-S MF-12 MF-25-S MF-40-SS	150	77	33	500/1,000	84,000	A3	13.00
ZOC0W8 ZOT0W8	ZO-12	150	77	33	500/1,000	84,000	A3	14.00
CFR0W4 CFRFU2 MF0W4 MFFU2 MF006 MOR0W4 MOR0S2 FRN0W4 MGRFW4	CFR-25 CFR-50-SS MF-25 MF-50-SS MF-60-S MOR-25 MOR-50-S FRN-25 MGR-25	150	77	33	500/1,000	84,000	A3	20.80
ZOC0W4 ZOT0W4	ZO-25	150	77	33	500/1,000	84,000	A3	22.50
CFR0S2 MF0S2	CFR-50-S MF-50-S	150	75	67	100/1,000	36,000	A3	13.00 10.50
FRN0W2	FRN-50	150	75	67	100/1,000	36,000	A3	16.00
CFR0W2 MFR0W2	CFR-50 MF-50	150	75	67	100/1,000	36,000	A3	14.00
MOR0W2 MOR01S MGRFW2	MOR-50 MOR-100-S MGR-50	155	95	53	500/1,000 (M-TYPE)	24,000	A104	11.50
					100/1,000	24,000	A104	13.70
						36,000	A3	16.00
FRN01W KNP0W2 KNP01S	FRN-100 KNP-50 KNP-100-S	155	95	53	500/1,000 (M-TYPE)	24,000	A104	14.00
					100/1,000	24,000	A104	11.00
						36,000	A3	23.00
CFR01S MF01W	CFR-100-S MF-100	155	95	53	100/500	12,000	A104	10.50
						18,000	A3	14.50
MOR01W MOR02S FRN02W KNP01W KNP02S MGRF1W	MOR-100 MOR-200-S FRN-200 KNP-100 KNP-200-S MGR-100	155	95	53	500/1,000 (M-TYPE)	24,000	A104	16.00
					100/500	18,000	A3	10.80
						12,000	A104	7.10
CFR01W CFR02S MF02W	CFR-100 CFR-200-S MF-200	155	95	53	100/500	12,000	A104	13.00
						18,000	A3	18.00
CFR02S	CFR-200-S				500/1,000 (M-TYPE)	24,000	A104	24.70

STANDARD PACKING OF COATED TYPE RESISTORS

Part No.	Style	Bulk in Box Packing (In Plastic Bag) (B/B)						
		L(C) ± 5	W(A) ± 5	H(B) ± 5	Quantity/Bag/ Box (pcs)	Quantity / Carton (pcs)	Carton Used***	Gross Wt. ± 2Kgs.
MOR02W MOR03S FRN03W KNP02W KNP03S MGRF2W	MOR-200 MOR-300-S FRN-300 KNP-200 KNP-300-S MGR-200	155	95	53	250/500 (M-TYPE)	12,000	A104	13.00
100/500	18,000				A3	20.70		
	12,000				A104	13.00		
CFR02W CFR03S MF03W	CFR-200 CFR-300-S MF-300	155	95	53	100/400	9,600	A104	18.00
14,400	A3					23.00		
MOR03W MOR05T	MOR-300 MOR-500-SS	155	95	53	100/400	9,600	A104	18.00
14,400	A3					30.00		
	MOR03W				MOR-300	150/300 (M-TYPE)	7,200	A104
KNP03W KNP05S	KNP-300 KNP-500-S	155	95	53	100/400	9,600	A104	18.00
14,400	A3					28.50		

*** **SIZE OF CARTON USED:** A3 – 490 x 270 x 375, A104 – 400 x 325 x 223

*** **F-Type & T-Type** packing same as M-Type